

FOAMALICIOUS SHOWER SCRUB IV

This Exfoliating Shower Scrub has excellent foaming and a rich lather on the skin. **SYNSCRUB 164 BRS** is brown in colour and is an economical, hard, exfoliating particle. Its spherical shape allows the particles to gently roll across the skin, leaving skin feeling soft, clean and exfoliated.

	Trade Name	INCI Name	Function	%W/W	Supplier
1	Water	Aqua	Solvent	43.85	
2	Versene Na2	Disodium EDTA	Chelating Agent	0.05	Dow Chemical
3	Organic Glycerine	Glycerin	Humectant	1	ProTec Botanica
4	Carbopol Aqua SF-1 Polymer	Acrylates Copolymer	Rheology Modifier	8	Surfachem
5	Texapon N70 (25% solution)	Sodium Laureth Sulfate	Primary Surfactant	40	BASF
6	Tego Betain CK KB5	Cocamidopropyl Betaine	Secondary Surfactant	5	Surfachem
7	NaOH (36% Solution)	Sodium Hydroxide	Neutralizer	1.1	
8	Glydant Plus Liquid	DMDM Hydantoin (and)Iodopropynyl Butylcarbamate	Preservative	0.4	Lonza
9	SYNSCRUB 164BRS	Synthetic Wax Cocos Nucifera (coconut) Oil Yellow 5 Lake/ Red 30 Lake/Blue 1 Lake/Talc/TiO2/ Iron Oxides/ Lecithin	Exfoliant	0.1	Micro Powders Inc Via ProTec Ingredia
10	Acacia Collagen (PF)	Aqua, Propylene Glycol, Acacia Seyal Gum Extract, Phenoxyethanol, Potassium Sorbate, Ethylhexylglycerin	Botanical Extract	0.5	Lipoid Kosmetik

ProTec Ingredia Ltd

Unit 10, Delta Court, Manor Way, Borehamwood, Hertfordshire, WD6 1FJ, UK

 Website: www.protecingredia.com

Registered in London No. 07517784 VAT No. GB 100 2120 14

The information provided, to the best of our knowledge is believed to be correct however we do not guarantee its accuracy. Potential purchasers shall not only rely on information stated herein when purchasing any products and should make their own investigations to determine if such products are suitable for a particular use. It is your responsibility to thoroughly test any formulations and all warranties, indemnities or liabilities implied or expressed by law are hereby excluded by ProTec Ingredia Ltd to the fullest extent permitted by law.

Method of Manufacture

Into the main vessel add:

Water	Start the mixer on a fast speed
Disodium EDTA	Mix until fully dispersed and no lumps remain
Glycerin	Mix until dispersed

Turn down the mixer to a slow speed.

Into the main vessel add:

Carbopol Aqua SF-1 Polymer	Mix until homogenous
Texapon N70 (25% solution)	Add slowly avoiding aeration. Mix until homogenous.
Cocamidopropyl Betaine	Mix until homogenous

Into the main vessel add:

Sodium Hydroxide	Mix slowly until the product becomes clear and homogeneous.
Glydant Plus Liquid	Mix until homogenous
SYNSCRUB 164BRS	Mix until homogenous
Acacia Collagen (PF)	Mix until homogenous

Check product specifications

Product Specifications

pH	6.30 -6.70
Viscosity	4000-10,00CPS (LVT Spindle 3, Speed 10, 30 seconds)
Colour	Colourless
Appearance	Clear Gel with brown particles