

NOVELTY SHOWER GEL

This Shower Gel has excellent foaming and produces a rich lather on the skin. Suspension and thickening are provided by **WorléeAqua Thix 100**, a high quality acrylic thickener. The decorative effect comes from **Uniflowers L0-668C** which look great in the product but which quickly disappear upon rubbing.

Trade Name	INCI Name	Function	%W/W	Supplier
1 WATER	Aqua	Solvent	41.87	
2 Versene Na2	Disodium EDTA	Chelating Agent	0.05	Dow Chemical
3 Organic Glycerine	Glycerin	Humectant	1	ProTec Botanica
4 WorléeAqua Thix 100	Acrylates crosspolymer	Rheology Modifier	8	Worlée Via ProTec Ingredia
5 Texapon N70 (25% solution)	Sodium Laureth Sulfate	Primary Surfactant	40	BASF
6 RESPLANTA® PGF BABASSU	Babassu Oil Polyglyceryl-4 Esters	Emollient\ Solubiliser	2	Res Pharma Via ProTec Ingredia
7 Perfume AR323842	Parfum	Fragrance	0.3	CPL Aromas
8 Tego Betain CK KB5	Cocamidopropyl Betaine	Secondary	5	Surfachem
9 NaOH (47% Solution)	Sodium Hydroxide	Neutralizer	0.375	
10 Glydant Plus Liquid	DMDM Hydantoin (and) Iodopropynyl Butylcarbamate	Preservative	0.4	Lonza
11 Uniflowers L0-668C	Mannitol, Cellulose, Acrylates Copolymer, Hydroxypropylcellulose, CI 77007, Caprylic/Capric Triglyceride, Decyl Glucoside, Hydroxypropyl Methylcellulose, Acrylates/Ammonium Methacrylate Copolymer, Mica, CI77007, Triethyl Citrate, CI77891	Decorative effect	1	Induchem Via ProTec Ingredia

ProTec Ingredia Ltd

Unit 10, Delta Court, Manor Way, Borehamwood, Hertfordshire, WD6 1FJ, UK

 Website: www.protectingredia.com

Registered in London No. 07517784 VAT No. GB 100 2120 14

Method of Manufacture

Into the main vessel add:

Water	Start the mixer on a fast speed.
Disodium EDTA	Mix until fully dispersed and no lumps remain.
Glycerin	Mix until dispersed.

Turn down the mixer to a slow speed.

Into the main vessel add:

WorléeAqua Thix 100	Mix until homogenous.
Texapon N70 (25% solution)	Add slowly avoiding aeration. Mix until homogenous.

Into a suitable sized premix vessel add:

RESPLANTA® PGF BABASSU

Perfume	Mix until homogenous.
Cocamidopropyl Betaine	Mix until homogenous.

Add the premix vessel to the main vessel, stir slowly until homogenous.

Into the main vessel add:

Sodium Hydroxide	Mix slowly until the product becomes clear and homogeneous.
Glydant Plus Liquid	Mix until homogenous.
Uniflowers L0-668C	Mix until homogenous.

Check product specifications

Product Specifications

pH	6.10 -6.50
Viscosity	2,000-8,00CPS (LVT Spindle 3, Speed 10, 30 seconds)
Colour	Colourless
Appearance	Clear gel with dispersed purple flowers