

NOVELTY SHOWER GEL

This Shower Gel has excellent foaming and produces a rich lather on the skin. Suspension and thickening are provided by **WorléeAqua Thix 100**, a high quality acrylic thickener. The decorative effect comes from **Unistars D0-638C** which look great in the product but which quickly disappear upon rubbing.

Trade Name	INCI Name	Function	%W/W	Supplier
1 WATER	Aqua	Solvent	41.87	
2 Versene Na2	Disodium EDTA	Chelating Agent	0.05	Dow Chemical
3 Organic Glycerine	Glycerin	Humectant	1	ProTec Botanica
4 WorléeAqua Thix 100	Acrylates crosspolymer	Rheology Modifier	8	Worlée Via ProTec Ingredia
5 Texapon N70 (25% solution)	Sodium Laureth Sulfate	Primary Surfactant	40	BASF
6 ZENICONE® IX	PEG-8 Dimethicone, PEG-8 Ricinoleate	Emollient\ Solubiliser	2	Zenitech Via ProTec Ingredia
7 Perfume AR323842	Parfum	Fragrance	0.3	CPL Aromas
8 Tego Betain CK KB5	Cocamidopropyl Betaine	Secondary Surfactant	5	Surfachem
9 NaOH (47% Solution)	Sodium Hydroxide	Neutralizer	0.375	
10 Glydant Plus Liquid	DMDM Hydantoin (and) Iodopropynyl Butylcarbamate	Preservative	0.4	Lonza
11 Unistars D0-638C	Mannitol, Cellulose, Acrylates Copolymer, Hydroxypropylcellulose, Mica, CI 77891, Caprylic/Capric Triglyceride, Decyl Glucoside, Talc, Hydroxypropyl Methylcellulose, Acrylates/Ammonium Methacrylate Copolymer, Triethyl Citrate, CI 77492, CI 77491	Decorative effect	1	Induchem Via ProTec Ingredia

ProTec Ingredia Ltd

Unit 10, Delta Court, Manor Way, Borehamwood, Hertfordshire, WD6 1FJ, UK

 Website: www.protectingredia.com

Registered in London No. 07517784 VAT No. GB 100 2120 14

The information provided, to the best of our knowledge is believed to be correct however we do not guarantee its accuracy. Potential purchasers shall not only rely on information stated herein when purchasing any products and should make their own investigations to determine if such products are suitable for a particular use. It is your responsibility to thoroughly test any formulations and all warranties, indemnities or liabilities implied or expressed by law are hereby excluded by ProTec Ingredia Ltd to the fullest extent permitted by law.

Method of Manufacture

Into the main vessel add:

Water	Start the mixer on a fast speed.
Disodium EDTA	Mix until fully dispersed and no lumps remain.
Glycerin	Mix until dispersed.

Turn down the mixer to a slow speed.

Into the main vessel add:

WorléeAqua Thix 100	Mix until homogenous.
Texapon N70 (25% solution)	Add slowly avoiding aeration. Mix until homogenous.

Into a suitable sized premix vessel add:

ZENICONE® IX

Perfume	Mix until homogenous.
Cocamidopropyl Betaine	Mix until homogenous.

Add the premix vessel to the main vessel, stir slowly until homogenous.

Into the main vessel add:

Sodium Hydroxide	Mix slowly until the product becomes clear and homogeneous.
Glydant Plus Liquid	Mix until homogenous.
Unistars D0-638C	Mix until homogenous.

Check product specifications

Product Specifications

pH	6.10 -6.50
Viscosity	2,000-8,00CPS (LVT Spindle 3, Speed 10, 30 seconds)
Colour	Colourless
Appearance	Clear gel with dispersed yellow stars

ProTec Ingredia Ltd

Unit 10, Delta Court, Manor Way, Borehamwood, Hertfordshire, WD6 1FJ, UK

Website: www.protecingredia.com

Registered in London No. 07517784 VAT No. GB 100 2120 14

The information provided, to the best of our knowledge is believed to be correct however we do not guarantee its accuracy. Potential purchasers shall not only rely on information stated herein when purchasing any products and should make their own investigations to determine if such products are suitable for a particular use. It is your responsibility to thoroughly test any formulations and all warranties, indemnities or liabilities implied or expressed by law are hereby excluded by ProTec Ingredia Ltd to the fullest extent permitted by law.